Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	199	(headless or head?less) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:43
L3	6320	(headless or head?less or blind) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:23
L4	1	3 with (alternat$5 near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:36
L5	0	3 with (second$4 near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:24
L6	8	3 and (alternat$5 near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:36
L7	38	(DHCP) same (select$4 or us$4) same ((alternat$4 or substitut$4) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:52
L8	1	((headless or head?less) near3 (device or computer or PC or unit or server)) same ((alternat$4 or substitut$4) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:44
L9	107	(DHCP) and ((select$4 or us$4) same (alternat$4 near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:53
L10	202	(alternat$4 near3 rout$4 near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:53

L11	12	10 with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:55
L12	44	10 with (table or list or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:55
L13	10	(US-20020147784-$ or US-20020156898-$ or US-20020161867-$ or US-20020194326-$ or US-20030191877-$ or US-20040078503-$ or US-20040068576-$).did. or (US-6691170-$ or US-6754767-$ or US-6895499-$).did.	US-PGPUB; USPAT	OR	ON	2005/05/27 11:08
L14	3	13 and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:09
S1	121	(headless or head?less) near3 (device or computer or PC or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:44
S2	30	S1 with configur$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:54
S3	9	S1 with bootstrap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:45
S4	149	(headless or head?less) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:44
S5	9	S4 with bootstrap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 17:45
S6	4	("5216644" | "5748596" | "6125408" | "6345318").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 17:57

S7.	149	(headless or head?less) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 17:17
S8	15	S7 same (request$4 or initiat$4) same (configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:42
S9	5976	(headless or head?less or blind) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:42
S10	23	S9 same (request$4 or initiat$4) same (configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:45
S11	3	S9 with (request$4 or initiat$4) with (configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:44
S12	0	S9 with (self?configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:44
S13	3	(DHCP) with (alternate near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 17:21
S14	81	(DHCP) with ((alternate or substitute or different) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 17:23
S15	6	(DHCP) with ((alternate or substitute) near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 10:39
S16	6320	(headless or head?less or blind) near3 (device or computer or PC or unit or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 08:59

S17	29	S16 same (request$4 or initiat$4) same (configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 08:59
S18	4	S16 with (request$4 or initiat$4) with (configur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 08:59